UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/828,917	04/21/2004	Kuo Chuan Wu	BA-22882	5641		
BUCKNAM AI	7590 02/20/200 ND ARCHER	EXAMINER				
1077 Northern I		UNELUS, ERNEST				
Roslyn, NY 115	0/0-1090		ART UNIT	PAPER NUMBER		
			2181			
			MAIL DATE	DELIVERY MODE		
			02/20/2009	PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

			Application No. Applicant(s)						
Office Action Summary			10/828,917		WU ET AL.				
			Examiner		Art Unit				
		1	ERNEST UNE	LUS	2181				
Period fo	The MAILING DATE of this commur or Reply	nication appea	ars on the cov	er sheet with the c	orrespondence ad	ddress			
WHIC - Exter after - If NC - Failu Any r	ORTENED STATUTORY PERIOD FOR CHEVER IS LONGER, FROM THE INTERIOR OF THE INTERI	MAILING DAT s of 37 CFR 1.136( munication. tatutory period will y will, by statute, ca	TE OF THIS ( (a). In no event, ho apply and will expi ause the applicatio	COMMUNICATION owever, may a reply be tin re SIX (6) MONTHS from n to become ABANDONE	N. nely filed the mailing date of this of the mailing date of this of the control	•			
Status									
1)[\	Responsive to communication(s) file	ed on 07 Mar	rch 2008						
· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •		ction is non-f	inal					
3)		<i>,</i> —			secution as to the	e merits is			
الله ال	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.								
Dispositi	on of Claims								
· ·									
•	Claim(s) <u>3,4,6-10 and 12-16</u> is/are pending in the application.  4a) Of the above claim(s) is/are withdrawn from consideration.								
		are withdrawi	i iioiii corisia	oration.					
	5) Claim(s) is/are allowed.								
·	6) Claim(s) 3,4,6-10 and 12-16 is/are rejected.								
•	Claim(s) is/are objected to.	-4:	. 1 4:	4					
8)[	Claim(s) are subject to restrict	ction and/or e	election requi	rement.					
Applicati	on Papers								
9)	The specification is objected to by th	ne Examiner.							
10)🛛	The drawing(s) filed on <u>21 A<i>pril</i> 200</u> -	<u>4</u> is/are: a)⊠	accepted or	b) objected to	by the Examiner.				
	Applicant may not request that any object	ection to the dra	awing(s) be he	ld in abeyance. See	e 37 CFR 1.85(a).				
	Replacement drawing sheet(s) including	g the correction	n is required if	the drawing(s) is ob	ected to. See 37 C	FR 1.121(d).			
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.									
Priority ເ	ınder 35 U.S.C. § 119								
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>									
2)  Notic 3) Inform	t(s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (I mation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	PTO-948)	4) [ 5) [ 6) [	Interview Summary Paper No(s)/Mail Da Notice of Informal P Other:	ate				

Art Unit: 2181

#### **DETAILED ACTION**

# **RESPONSE TO AMENDMENT**

#### Claim rejections based on prior art

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 03/07/08 has been entered.

Applicant's arguments filed 11/19/2007 have been fully considered but they are not persuasive.

The applicant argues; "As pointed out to the Examiners during the interview, the distinguishing feature of the present invention as described in amended claim 16 over the cited references is the fact that the optical data storage drive device of the present invention includes a microprocessor in the device itself which the devices of the cited references do not". Whether the statement above is true or falls, the applicant's claim has not been amendment properly to reflect the statement above. With respect to "for controlling the release/resume operation of the bus switch", this is an intended use limitation. This limitation doesn't specifically state that the microprocessor is controlling the release/resume operation of the bus switch.

# I. INFORMATION CONCERNING OATH/DECLARATION

Art Unit: 2181

## Oath/Declaration

The applicant's oath/declaration has been reviewed by the examiner and is found to conform to the requirements prescribed in **37 C.F.R. 1.63.** 

### II. STATUS OF CLAIM FOR PRIORITY IN THE APPLICATION

As required bye **M.P.E.P. 201.14(c)**, acknowledgement is made of applicant's claim for priority based on applications filed on December 04, 2003 (Taiwan 092134254).

### III. INFORMATION CONCERNING DRAWINGS

# **Drawings**

The applicant's drawings submitted are acceptable for examination purposes.

#### IV. REJECTIONS BASED ON PRIOR ART

# Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. <u>Claims 3, 4, 6-10, 12, 13, 15, and 16</u> are rejected under 35 U.S.C. 103(a) as being unpatentable over Jae-Sung (EP 1117030) in view of Beckert et al. (US pat. 5,794,164).

3. As per <u>claim 16</u>, according to "An optical storage drive device <u>for</u> multimedia audio/video system having a CD driver, a picture viewer, a DVD driver, a digital video recorder (DVR), a FM radio and a MP3 music CD monolithically integrated in a single device, said optical data storage drive device <u>can be</u> used as a built-in or external device to a personal computer utilizing a bus switch to release/resume a standard interface between the personal computer and the built-in/external optical data storage drive device, said optical data storage drive device comprising", this preamble is intended use.

Jae-Sung discloses an optical data storage drive device (disc player 2 of fig. 1) comprising;

a video/<u>audio input</u>/output selector ((CD-ROM) interface, as discloses in para. 0025) for inputting video/<u>audio</u> signals and for /outputting video/<u>audio</u> signals to the built-in/external optical data storage drive device (speaker 10, as discloses in para. 0026) (see para. 0025, which discloses outputting an input analog audio signal from the disc player 2 CD-ROM interface);

a video/<u>audio</u> encoder/decoder for encoding input video/<u>audio</u> signal before storing and for decoding stored video/<u>audio</u> signal before outputting to said built-in/external optical data storage drive device through said video/<u>audio</u> input/output selector (see paragraph 0012 and paragraph 0038, which discloses "As stated previously, the disc player 2 may further include a decoder and encoder for decoding and encoding an MPEG file, respectively. By means of this construction, a real-time input audio signal can be <u>com-pressed and stored</u> in the form of an MPEG file, and MPEG audio data from the CPU can be decoded, amplified and reproduced through the speaker");

Application/Control Number: 10/828,917

Art Unit: 2181

Page 5

a microprocessor (CPU 4 of the computer, as discloses in para. 0024) for controlling the operation of said optical data storage drive device in accordance with a key-in or pre-stored instruction and the read/write of the BIOS data of the personal computer (see para. 0024. See also paragraph 0051, which discloses an operational panel 42 with buttons for the operation of the disc player), and for controlling the release/resume operation of the bus switch (this is an intended use limitation. This limitation doesn't specifically state that the microprocessor is controlling the release/resume operation of the bus switch);

an optical storage device (a compact disc (CD), as discloses in para. 0019), for reading/writing the encoded video/audio signal and data signal (the MPEG data, as discloses in para. 0024) from said microprocessor through a bus switch (the data bus, as discloses in para. 0024) (see paragraph 0024, which discloses "The disc player 2 further includes a decoder connected to a central processing unit (CPU) 4 of the computer via a data bus for processing data of an MPEG format. That is, the decoder is adapted to decode MPEG data from the CPU 4 of the computer and output the de\-coded result in a digital and/or analog form". See para. 0038 for further detail);

a status display (display 28, as discloses in para. 0048) for displaying the operation status of said personal computer and said optical data storage device (see paragraph 0048) and controlled by a display controller (the microcomputer 22, as discloses in para. 0031) connected to said microprocessor (see paragraph 0048, which discloses "The operating panel 42 and display (preferably, VFD) 28 are installed in the front part of the multimedia device, thereby allowing the user to conveniently control the device and view the operating state of the device". See also paragraph 0031, which discloses "A display 28, which may

Art Unit: 2181

preferably be a vacuum fluorescent display (VFD), is adapted to provide a visual indication of the operating state of the multimedia device to the user under the control of a VFD driver 29 connected to the microcomputer 22". See fig. 1 and para. 0025, which discloses a connection of the CPU and the microcomputer (inside the audio s. 8) through the audio sig. 6 using the data bus);

a power amplifier (power amplifier 18), connected to said video/audio encoder/decoder for amplifying said input signal and decoded output audio signal (see paragraph 0028); and a speaker (speaker 10), connected to said power amplifier for outputting said amplified audio signal (see fig. 2).

a power-on detector (A detection port 37 of fig. 3) connected to a power supply of said personal computer and said microprocessor (see fig. 3), the power-on detector detects the power-on status of said personal computer and signals said microprocessor to control said bus switch to release the standard interface (the main power supply 35, as discloses in fig. 3) between said personal computer and said optical data storage drive device (See paragraph 0045, which discloses, "A detection port 37 is connected to the multimedia device to check voltage (for example, 0 volt) when the multimedia device is not in operation and make a power control terminal 39 active in accordance with the checked result") so as to operate without the power supply of said personal computer when the personal computer is off (see paragraph 0016, discloses "Preferably, the multimedia device may further comprise an adapter for supplying power to the multimedia device separately from a main power supply of the personal computer, whereby the user can appreciate the compact disc using the operation means without booting the personal computer". See also paragraph 0043, which discloses

Art Unit: 2181

the device using the adapter to play CD), whereas when said computer power-on status is detected (see para. 0045, which discloses "when the computer is powered on, ...."), said microprocessor controls said bus switch to resume the function of said standard interface (supplying power from the computer) so as to operate said optical data storage drive device through the personal computer (see paragraph 0045, which also discloses "At this time, a control circuit 38 functions to block the supply of power from the adapter 36, thereby causing all components in the computer to be supplied with power from the main power supply 35. The current control means shown in Fig. 3 may preferably include a DC-DC converter for, when the computer is powered on, supplying 12V DC power from the main power supply 35 to the multimedia device and blocking the supply of power from the adapter 36". See paragraphs 0045 and 0024, which discloses the CPU of the computer controlling the device 40).

Jae-Sung fails to specifically disclose "a memory card reader, for reading/writing the encoded video/audio signal and data from said microprocessor through said bus switch connected to said microprocessor".

Beckert discloses "a memory card reader (smart card reader 42 in fig. 3), for reading/writing the encoded video/audio signal and data from said microprocessor through said bus switch connected to said microprocessor" (see fig. 3).

Jae-Sung (EP 1117030) and Beckert et al. (US pat. 5,794,164) are analogous art because they are from the same field of endeavor of multimedia computer device.

At the time of the invention it would have been obvious to a person of ordinary skill in the art to modify the multimedia device for a personal computer comprising a disc player Art Unit: 2181

connected to a central processing unit of the personal computer and adapted to play back compact disc as described by Jae-Sung and a vehicle computer system has a housing sized to be mounted in a vehicle dashboard or other appropriate location as taught by Beckert.

The motivation for doing so would have been because Beckert teaches ("The computer 22 includes at least one storage drive which permits the vehicle user to download programs and data from storage medium")

Therefore, it would have been obvious to combine Beckert et al. (US pat. 5,794,164) and Jae-Sung (EP 1117030) for the benefit of creating a multimedia computer device for to obtain the invention as specified in claim 1.

- 4. As per <u>claim 3</u>, the combination of Jae-Sung and Beckert disclose "Wherein said optical storage driving device is of stand-alone type [with respect to this limitation, see Jae-Sung, paragraph 0016].
- 5. As per <u>claim 4</u>, the combination of Jae-Sung and Beckert disclose "wherein said optical storage driving device is of portable type" [with respect to this limitation, see Jae-Sung, paragraph 0010].
- 6. As per <u>claim 6</u>, the combination of Jae-Sung and Beckert disclose "wherein said built-in/external device <u>can be a video/audio signal providing device and a video/audio signal player including television, projector, plasma display panel, liquid crystal display and monitor of a personal computer" [with respect to this limitation, see Jae-Sung, paragraph 0010].</u>

Application/Control Number: 10/828,917

Art Unit: 2181

7. As per <u>claim 7</u>, the combination of Jae-Sung and Beckert disclose "wherein said optical storage device including {one of } CD-ROM, CD-R, CD-RW, DVD-ROM, DVD-R, DVD-RW, DVD+R, DVD+RW and DVD-RAM servers" [with respect to this limitation, see Jae-Sung, paragraph 0019].

Page 9

- 8. As per <u>claim 8</u>, the combination of Jae-Sung and Beckert disclose "wherein said status display includes one of vacuum fluorescent display (VFD) and liquid crystal display (LCD)" [with respect to this limitation, see Jae-Sung, fig. 2].
- 9. As per <u>claim 9</u>, the combination of Jae-Sung and Beckert disclose "wherein said display is used to display the mode selection, adjustment controlling, and status indicator of said functions" [with respect to this limitation, see Jae-Sung, paragraph 0048, which discloses "The operating panel 42 and display (preferably, VFD) 28 are installed in the front part of the multimedia device, thereby allowing the user to conveniently control the device and view the operating state of the device". see also paragraph 0049].
- 10. As per <u>claim 10</u>, the combination of Jae-Sung and Beckert disclose "wherein said personal computer includes one of a desktop computer, notebook computer, tablet computer and Macintosh computer" [with respect to this limitation, see Jae-Sung, fig. 5].
- 11. As per claim 12, the combination of Jae-Sung and Beckert disclose "wherein said

Application/Control Number: 10/828,917

Art Unit: 2181

standard interface can be one of the <u>ATAPI-IDE</u>, the serial ATA or SCSI, the USB 1.1/2.0 built-in or externally connected to a personal computer and a IEEE 1394

Page 10

standard interface" [with respect to this limitation, see Jae-Sung, fig. 5].

- 12. As per claim 13, the combination of Jae-Sung and Beckert disclose "wherein said poweron detector is used to detect the voltage on the power supply unit of a personal computer or to
  detect the computer host reset signal (HRST) on the connecting bus between said personal
  computer and said panel controller so as to confirm the on status of the power supply" [with
  respect to this limitation, see Jae-Sung, paragraph 0045, which discloses "A detection port
  37 is connected to the multimedia device to check voltage (for example, 0 volt) when the
  multimedia device is not in operation and make a power control terminal 39 active in
  accordance with the checked result. At this time, a control circuit 38 functions to block the
  supply of power from the adapter 36, thereby causing all components in the computer to be
  supplied with power from the main power supply 35. The current control means shown in
  Fig. 3 may prefer ably include a DC-DC converter for, when the computer is powered on,
  supplying 12V DC power from the main power supply 35 to the multimedia device and
  blocking the supply of power from the adapter 36"].
- 13. As per <u>claim 15</u>, the combination of Jae-Sung and Beckert disclose "wherein said optical storage driving device is powered by DC or AC power supply" [with respect to this limitation, see Jae-Sung, paragraph 0045].

Art Unit: 2181

14. <u>Claims 14</u> is rejected under 35 U.S.C. 103(a) as being unpatentable over Jae-Sung (EP 1117030) and Beckert et al. (US pat. 5,794,164) as applied to claim 16 above, and further in view of Kovacevic (US 2002/0126703).

15. As per <u>claim 14</u>, Jae-Sung and Beckert disclose "The optical storage driving device as set forth in claim 1," [See rejection to claim 1 above], including a connecting device equipped with a power connector, a CD analogue audio output connector (see, Beckert, fig. 4), while said connecting device has a dominating bus and an input/output bus so as to increase the expandability of said optical storage driving device (see, Beckert, fig. 4, which discloses the vehicle battery having 10-16volts compare to the power supply being only12, that's the reason why the vehicle battery bus will dominate over an input/output bus so as to increase the expandability of said optical storage driving device. See col. 6, lines 3-18), but fail to specifically discloses a Sony-Phillips digital interface (SPDIF) output connector.

Kovacevic discloses a Sony-Phillips digital interface (SPDIF) output connector (see paragraph 0018).

Jae-Sung (EP 1117030), Beckert et al. (US pat. 5,794,164), and Kovacevic (US 2002/0126703) are analogous art because they are from the same field of endeavor of multimedia computer device.

At the time of the invention it would have been obvious to a person of ordinary skill in the art to modify the multimedia device for a personal computer comprising a disc player

Art Unit: 2181

connected to a central processing unit of the personal computer as described by Jae-Sung and Beckert and a method of synchronizing the output of processed audio data to the output of processed video data as taught by Kovacevic.

The motivation for doing so would have been because Kovacevic teaches a Sony-Phillips digital interface (SPDIF) output connector help with conversion (see paragraph 0018)

Therefore, it would have been obvious to combine Kovacevic (US 2002/0126703) and Beckert et al. (US pat. 5,794,164) with Jae-Sung (EP 1117030) for the benefit of creating a multimedia computer device for to obtain the invention as specified in claim 14.

# V. <u>RELEVANT ART CITED BY THE EXAMINER</u>

- 16. The following prior art made of record and not relied upon is cited to establish the level of skill in the applicant's art and those arts considered reasonably pertinent to applicant's disclosure. See MPEP 707.05(c).
- 17. The following reference teaches a multi-functional optical disk driving device.

### U.S. PATENT NUMBER

US 6,654,827 and 6,356,968

### **CLOSING COMMENTS**

### Conclusion

# a. STATUS OF CLAIMS IN THE APPLICATION

18. The following is a summary of the treatment and status of all claims in the application as recommended by **M.P.E.P. 707.07(i)**:

# a(1) CLAIMS REJECTED IN THE APPLICATION

Art Unit: 2181

19. Per the instant office action, claims 3, 4, 6-10, and 12-16 have received a first action on the merits and are subject of a first action non-final.

### **DIRECTION OF FUTURE CORRESPONDENCES**

20. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ernest Unelus whose telephone number is (571) 272-8596. The examiner can normally be reached on Monday to Friday 9:00 AM to 5:00 PM.

# **IMPORTANT NOTE**

21. If attempts to reach the above noted Examiner by telephone are unsuccessful, the Examiner's supervisor, Mr. Alford Kindred, can be reached at the following telephone number: Area Code (571) 272-4037.

The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PMR system, see her//pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217- 91 97 (toll-free).

January 26, 2009

Ernest Unelus Patent Examiner Art Unit 2181

Art Unit: 2181

/E. U./ Examiner, Art Unit 2181

/Alford W. Kindred/ Supervisory Patent Examiner, Art Unit 2181